




OUR
NEW RANGE

**SAVE
\$\$\$\$**

FEATURES - CRIMP LOCKING COLLAR
& BRASS LEVERS


**CAMLOCK FITTINGS
ALUMINIUM**



ALFAGOMMA

CAMLOCK CAM and GROOVE


I519C200 / I579C200



Type C - Female to Hose End - Aluminium (A - A 59326D) Supersedes MIL C - 27.487
Hose End with Locking Collar for Smooth Crimp Ferrules, Crimping Rings or Clamps

Item Code	Part Number	Hose ID mm	Coupling size mm	W.P bar	W.P psi	Crimp Locking Collar	List Price AUD / each
2301859	I519C200-019019	19	19	17	250		10.50
2300640	I519C200-025025	25	25	17	250		11.75
2300641	I519C200-032032	32	32	17	250		16.95
	I579C200-038038	38	38	17	250	•	21.05
	I579C200-051051	51	51	17	250	•	24.45
	I579C200-063063	63	63	10	150	•	29.55
	I579C200-076076	76	76	8	125	•	39.85
	I579C200-102102	102	102	7	100	•	50.40
2302679	I519C200-127127	127	127	5	75		93.15
	I579C200-152152	152	152	5	75	•	146.60


I519C100 / I579C100



Type E - Male to Hose End - Aluminium (A - A 59326D) Supersedes MIL C - 27.487
Hose End with Locking Collar for Smooth Crimp Ferrules, Crimping Rings or Clamps

Item Code	Part Number	Hose ID mm	Coupling size mm	W.P bar	W.P psi	Crimp Locking Collar	List Price AUD / each
2302675	I519C100-019019	19	19	17	250		5.00
2300633	I519C100-025025	25	25	17	250		5.85
2301736	I519C100-032032	32	32	17	250		7.20
	I579C100-038038	38	38	17	250	•	9.80
	I579C100-051051	51	51	17	250	•	13.25
	I579C100-063063	63	63	10	150	•	23.95
	I579C100-076076	76	76	8	125	•	23.55
	I579C100-102102	102	102	7	100	•	37.10
2302678	I519C100-127127	127	127	5	75		86.50
	I579C100-152152	152	152	5	75	•	109.20


I5A9C606



Type A - Male to Female BSP - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Thread Type	Coupling size mm	W.P bar	W.P psi	List Price AUD / each
2301830	I5A9C606-019027	BSP	19	17	250	4.05
2300182	I5A9C606-025034	BSP	25	17	250	5.15
2300183	I5A9C606-032042	BSP	32	17	250	6.30
2301831	I5A9C606-038049	BSP	38	17	250	7.60
2301832	I5A9C606-051060	BSP	51	17	250	8.85
2301833	I5A9C606-063076	BSP	63	10	150	15.15
2301834	I5A9C606-076090	BSP	76	8	125	15.40
2301835	I5A9C606-102114	BSP	102	7	100	23.40
2302706	I5A9C606-127140	BSP	127	5	75	42.05
2301836	I5A9C606-152165	BSP	152	5	75	47.10

I5A9C007




Type B - Female to Male BSPT - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Thread Type	Coupling size mm	W.P bar	W.P psi	List Price AUD / each
2301847	I5A9C007-019027	BSPT	19	17	250	10.40
2301848	I5A9C007-025034	BSPT	25	17	250	11.55
2301849	I5A9C007-032042	BSPT	32	17	250	18.95
2301850	I5A9C007-038049	BSPT	38	17	250	20.60
2301851	I5A9C007-051060	BSPT	51	17	250	22.40
2301852	I5A9C007-063076	BSPT	63	10	150	26.40
2301853	I5A9C007-076090	BSPT	76	8	125	35.65
2302699	I5A9C007-102114	BSPT	102	7	100	46.45
2302700	I5A9C007-127140	BSPT	127	5	75	65.10
2302701	I5A9C007-152165	BSPT	152	5	75	112.40

CAMLOCK CAM and GROOVE


I5A9C806



Type D - Female to Female BSP - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Thread Type	Coupling size mm	W.P bar	W.P psi	List Price AUD / each
2301876	I5A9C806-019027	BSP	19	17	250	10.40
2300193	I5A9C806-025034	BSP	25	17	250	12.40
2300194	I5A9C806-032042	BSP	32	17	250	16.80
2301877	I5A9C806-038049	BSP	38	17	250	17.55
2301878	I5A9C806-051060	BSP	51	17	250	20.35
2301879	I5A9C806-063076	BSP	63	10	150	26.50
2301880	I5A9C806-076090	BSP	76	8	125	32.85
2301881	I5A9C806-102114	BSP	102	7	100	44.20
2302711	I5A9C806-127140	BSP	127	5	75	79.55
2301882	I5A9C806-152165	BSP	152	5	75	110.25


I5A9C507



Type F - Male to Male BSPT - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Thread Type	Coupling size mm	W.P bar	W.P psi	List Price AUD / each
2301948	I5A9C507-019027	BSPT	19	17	250	5.60
2301949	I5A9C507-025034	BSPT	25	17	250	7.15
2301950	I5A9C507-032042	BSPT	32	17	250	8.85
2301951	I5A9C507-038049	BSPT	38	17	250	9.30
2301952	I5A9C507-051060	BSPT	51	17	250	11.80
2301953	I5A9C507-063076	BSPT	63	10	150	20.30
2301954	I5A9C507-076090	BSPT	76	8	125	21.80
2301955	I5A9C507-102114	BSPT	102	7	100	34.10
2302703	I5A9C507-127140	BSPT	127	5	75	61.85
2302704	I5A9C507-152165	BSPT	152	5	75	70.85


I5A9C900



Type DC - Female Dust Cap - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Hose ID mm	W.P bar	W.P psi	List Price AUD / each
2301967	I5A9C900-019	19	17	250	9.70
2300200	I5A9C900-025	25	17	250	10.30
2300201	I5A9C900-032	32	17	250	15.55
2301968	I5A9C900-038	38	17	250	16.20
2301969	I5A9C900-051	51	17	250	18.85
2301970	I5A9C900-063	63	10	150	21.75
2301971	I5A9C900-076	76	8	125	27.55
2301972	I5A9C900-102	102	7	100	35.80
2302712	I5A9C900-127	127	5	75	73.25
2302713	I5A9C900-152	152	5	75	82.85

I5A9C700




Type DP - Male Dust Plug - Aluminium (A - A 59326D) Supersedes MIL C - 27.487

Item Code	Part Number	Coupling size mm	W.P bar	W.P psi	List Price AUD / each
2301979	I5A9C700-019	19	17	250	3.85
2300967	I5A9C700-025	25	17	250	4.65
2302707	I5A9C700-032	32	17	250	5.85
2301982	I5A9C700-038	38	17	250	6.60
2301983	I5A9C700-051	51	17	250	8.10
2301985	I5A9C700-063	63	10	150	11.00
2301986	I5A9C700-076	76	8	125	12.90
2302708	I5A9C700-102	102	7	100	20.00
2302709	I5A9C700-127	127	5	75	47.00
2301988	I5A9C700-152	152	5	75	54.50

CAMLOCK CAM and GROOVE

INJ09C



Gasket - Nitrile


Item Code	Part Number	Coupling size mm	Material	List Price AUD / each
2303238	INJ09C-013	13	NBR	0.40
2301991	INJ09C-019	19	NBR	0.60
2300492	INJ09C-025	25	NBR	0.75
2300493	INJ09C-032	32	NBR	1.00
2302863	INJ09C-038	38	NBR	1.35
2301993	INJ09C-051	51	NBR	1.45
2302864	INJ09C-063	63	NBR	1.95
2301995	INJ09C-076	76	NBR	2.40
2301997	INJ09C-102	102	NBR	3.40
2302865	INJ09C-127	127	NBR	4.35
2301998	INJ09C-152	152	NBR	5.40

I8Y9C00



Handle, Ring & Pin

Item Code	Part Number	Coupling size mm	Handle	Pin / Ring	List Price AUD / each
2303810	I8Y9C001	13 - 19	BRASS	PLATED STEEL	3.60
2303812	I8Y9C002	25	BRASS	PLATED STEEL	5.05
2303813	I8Y9C003	32 - 63	BRASS	PLATED STEEL	10.70
2303809	I8Y9C004	76 - 127	BRASS	PLATED STEEL	14.80
2303817	I8Y9C005	152	BRASS	PLATED STEEL	39.85



RANGE OF SMOOTH CRIMP FERRULES AVAILABLE

PRESSURE RATINGS FOR ALUMINIUM CAMLOCK CAM and GROOVE COUPLINGS

NOTE All pressures are based at 20°C and are offered as a guidance for Cam & Groove to Cam & Groove interface only. Incorrect coupling and gasket material compatibility with mediums being conveyed can reduce performance and result in failure.

Cam & Groove couplings are not suitable in compressed air and steam applications.

Size inch	Coupling size mm	W.P bar	W.P psi
3/4	19	17	250
1	25	17	250
1 1/4	32	17	250
1 1/2	38	17	250
2	51	17	250
2 1/2	63	10	150
3	76	8	125
4	102	7	100
5	127	5	75
6	152	5	75

"REFER TO YOUR LOCAL BRANCH FOR A COMPETITIVE QUOTE FOR CRIMPED ASSEMBLIES"

// ALFAGOMMA AUSTRALIA BRANCH NETWORK

BRISBANE

(07) 3893 5400
brisbane@alfagomma.com.au

KALGOORLIE

(08) 9026 1500
kalgoorlie@alfagomma.com.au

MACKAY

(07) 4969 2700
mackay@alfagomma.com.au

MELBOURNE

(03) 9757 2300
melbourne@alfagomma.com.au

MT ISA

(07) 4743 2898
mtisa@alfagomma.com.au

NEWCASTLE

(02) 4985 9900
newcastle@alfagomma.com.au

PERTH

(08) 9424 8600
perth@alfagomma.com.au

SYDNEY

(02) 9853 0900
sales@alfagomma.com.au

WOLLONGONG

(02) 4271 2844
wollongong@alfagomma.com.au



NATIONAL CUSTOMER SERVICE CENTRE

1300 158 144
sales@alfagomma.com.au

NOTE SINCE ALFAGOMMA CONTINUALLY EXAMINES WAYS TO IMPROVE PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT PRIOR NOTICE. ANY CONTRACT FOR SALE OF PRODUCTS BETWEEN ALFAGOMMA AUSTRALIA PTY. LTD. AND ANY CUSTOMER SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS ADVISED PRIOR TO OR AT THE TIME OF ORDER. IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY. ACTUAL PRODUCT MAY VARY. E. & O.E.